

Profim STANDARD FOLDING TABLE

- Folding table - 100 mm height when collapsed (with 22 mm table top)
- Frame in various colours. See below Accessories/options.
- For table top colours, see below Accessories/options.
- Table top edge band will match table top as standard. Optionally choose black, white or grey table edge band to any table top colour within our range without extra charge.
- Table top in Laminate (24 mm)

Item no	Base model +	Price Group (PG)	① Price
4680-10	Profim STANDARD FOLDING TABLE 4680-10 (E) • 180 x 90 cm • Distance between the table legs 103 cm • Weight appr 30.9 kg Lam.		5 000
4680-15	Profim STANDARD FOLDING TABLE 4680-15 (S) • 120 x 90 cm • Distance between the table legs 103 cm • Weight appr 22.6 kg Lam.		4 049
4680-22	Profim STANDARD FOLDING TABLE 4680-22 (S) • 180 x 80 cm • Distance between the table legs 103 cm • Weight appr 28.1 kg Lam.		4 614
4680-24	Profim STANDARD FOLDING TABLE 4680-24 (S) • 160 x 80 cm • Distance between the table legs 103 cm • Weight appr 25.7 kg Lam.		4 342
4680-25	Profim STANDARD FOLDING TABLE 4680-25 (S) • 140 x 80 cm • Distance between the table legs 103 cm • Weight appr 23.2 kg Lam.		4 057

Item no	Base model +	Price Group (PG)	① Price
4680-27	Profim STANDARD FOLDING TABLE 4680-27 (S) • 120 x 80 cm • Distance between the table legs 103 cm • Weight appr 20.8 kg Lam.		3 729
4680-36	Profim STANDARD FOLDING TABLE 4680-36 (E) • 180 x 70 cm • Distance between the table legs 103 cm • Weight appr 25.4 kg Lam.		4 112
4680-38	Profim STANDARD FOLDING TABLE 4680-38 (S) • 140 x 70 cm • Distance between the table legs 103 cm • Weight appr 21.1 kg Lam.		3 665
4680-39	Profim STANDARD FOLDING TABLE 4680-39 (S) • 120 x 70 cm • Distance between the table legs 103 cm • Weight appr 18.9 kg Lam.		3 520
4680-52	Profim STANDARD FOLDING TABLE 4680-52 (S) • 140 x 60 cm • Distance between the table legs 103 cm • Weight appr 18.9 kg Lam.		3 697
4680-54	Profim STANDARD FOLDING TABLE 4680-54 (S) • 120 x 60 cm • Distance between the table legs 103 cm • Weight appr 17.1 kg Lam.		3 316

Item no	Base model +	Price Group (PG)	①	Price
4680-58	Profim STANDARD FOLDING TABLE 4680-58 (S) - Exam table 90 x 60 cm - Distance between the table legs 75 cm - Weight appr 14.3 kg Lam.			2 812
4680-90	Profim STANDARD FOLDING TABLE 4680-90 (S) 120 x 45 cm - Distance between the table legs 103 cm - Weight appr 14.3 kg Lam.			2 934
4681-45	Profim STANDARD FOLDING TABLE 4681-45 (E) 1/2 circle with folding frame, Ø160 cm - Distance between the table legs 74 cm			4 891
4688-52	Profim STANDARD FOLDING TABLE 4688-52 (E) - L-frame 140 x 60 cm - Distance between the table legs 103 cm - Weight appr 18.9 kg Lam.			3 697
4688-54	Profim STANDARD FOLDING TABLE 4688-54 (E) - L-frame 120 x 60 cm - Distance between the table legs 103 cm - Weight appr 17.1 kg Lam.			3 331
4688-90	Profim STANDARD FOLDING TABLE 4688-90 (E) - L-frame 120 x 45 cm - Distance between the table legs 103 cm - Weight appr 14.3 kg Lam.			2 934
Accessories/Options/Surcharges:				
RS091003	Linking device with screws, not mounted, see below. Available for rectangular table w/ straight edged table top			140
RS092064	Standard Folding table levelling screw			12
3211	Trolley 125 x 71 cm, (without drive bar and retainer for trolley), transport tables (7) standing or (12) lying down			7 405


Accessories/Options/Surcharges:

3212	Trolley 200x71 cm (without drive bar and retainer for trolley), transport tables 13 Std. standing or 12 lying down	8 420
3213	Drive bar for trolley	3 210
3214	Retainer for trolley - requires 2 per trolley for transport of standing tables - price per unit	4 419


1. Laminate on chipboard

Height, approx: 74.5 cm

Trolley with frame. 3211 for transport of 5 upright Profim Standard folding tables. 3212 for transport of 13 upright Profim Standard folding tables. Both trolleys can hold 12 tables lying down



RS091003



S=Standard Collection – normal production time 20-30 working days. Applicable when table top and base are standard (S).

E=Extended Collection – normal production time 30-35 working days. Applicable when any or all component options selected are extended (E).

For larger orders, please contact Customer Service for delivery details.

Lightweight core on request.

